Notice of Allowability	Application No.	Applicant(s)
	10/830,028	DITTMANN ET AL.
	Examiner	Art Unit
	Nathan Wiehe	3745
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>RCE dated 24 July 2007</u> .		
2. The allowed claim(s) is/are <u>1-3,5,6,9-15 and 17-23</u> .		
<ul> <li>3.</li></ul>		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		·
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	. 6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amend	te
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>20070724</u></li> </ol>	7. 🗌 Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	V	ent of Reasons for Allowance
	9.  Other	•

## **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

The instant invention is deemed to be a non-obvious improvement over the invention of U.S. Pat. No. 6,478,534. The improvement comprises the use of a first extraction point disposed upstream of a second ejector, proximate the highest geodetic level of the cavity, relative to the blowout direction thereof and a second extraction point proximate to the first ejector, proximate the lowest geodetic level of the cavity, in the blowout direction thereof. It would not have been obvious to one of ordinary skill in the art to modify the invention of U.S. Pat. No. 6,478,534 to include the arrangement of ejectors and extraction points as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## CONCLUSION

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nathan Wiehe whose telephone number is (571)272-8648. The examiner can normally be reached on Mon.-Thur. and alternate Fri., 7am-4:30pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Look can be reached on (571)272-4820. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/830,028

Art Unit: 3745

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Nathan Wiehe Examiner

Art Unit 3745

EDWARD K. LOOK SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700

8/22/07